Illustrated Parts List Model Series 114900 to 114999 Non-Compliance

TYPE NUMBERS 0015 through 0054 0101 through 0157 0168 through 0187

Compliance

TYPE NUMBERS 3015, 3016, 3050, 3051, 3111 through 3157

TO FIND

THE CORRECT NUMBER OF THE PART YOU NEED:


FOLLOW THE INSTRUCTIONS BELOW

- A. Refer to Engine Model, Type and Code Number that is stamped on the blower housing of engine. Engine type numbers such as 012301 are listed herein only as 0123. The two digits (01 or 02, etc.) to the right of the space are not needed for parts identification. Then use the Illustrated Parts List covering the Model Series.
- B. Refer to Illustrated Parts section and compare the old part with illustration. The number on the illustration is the Reference Number. Assemblies include all parts shown in frames. All parts shown in assembly frames on which individual reference numbers are given can be purchased separately.
- C. After the Reference Number has been identified, refer to the Numerical Parts List, where Reference and Master Part Number are listed. THE MASTER PART IS USED ON ALL TYPE NUMBERS EXCEPT THOSE TYPE NUMBERS UNDER "NOTE".
- D. If a "Note" appears below the Master Part Number, this means that this part differs from the Master Part for certain types. If the Type number is listed under "Note", order the part referred to.
- E. If the Engine Type Number does not appear after any part number listed under "Note", use the Master Part Number.
- F. For Type Numbers higher than those covered by this book, please refer to the factory if you are unable to identify the part by comparison.


PRINTED IN U.S.A




COPYRIGHT®





Sump assemblies illustrated on this page DO NOT include an oil filler opening.





*SPECIAL TOOLS REQUIRED TO INSTALL.
SEE REPAIR INSTRUCTION MANUAL.












8178-5



REWIND STARTER ASSEMBLIES FOR NON-BAND-BRAKE


	CL	OCK POSITIO	NS	
1:30	3	6	9	12
396090	396468*	396794	398780	396411

^{*}For Specials, See Text Ref. 608.

REWIND STARTER ASSEMBLIES FOR BAND-BRAKE

	(NS			
1:30	3	6	9	12	
		396413*	397824	396017	

^{*}For Specials, See Text Ref. 608.



≣F.	PART	DECODICTION	REF.	PART	DECODISTICAL	REF.	PART	DEGORIETION
10.	NO.	DESCRIPTION	NO.	NO.	DESCRIPTION	NO.	NO.	DESCRIPTION
1	399166	Cylinder Assembly			492094 Crankshaft			0140, 0141, 0143,
2	399269	Bushing—Cylinder			Used On Type Nos.			0144, 0145, 0146,
	Note:	Requires special tools			0029, 0054, 0131,			0149, 0150, 0151,
		for installation.			0132, 0139, 0147,			0152, 0156, 0168,
3	299819	Seal-Oil			0171, 3114, 3134,			0169, 0172, 0175,
5	211851	Head—Cylinder			3153, 3157.			0176, 0177, 0179,
7	* 270836	Gasket—Cylinder Hd.			492096 Crankshaft			0181, 0183, 0187.
8 .	298383	Breather—Valve			Used on Type Nos.			394066 Flywheel
		Chamber			3050, 3051.			Magneto
9	* 270239	Gasket—Valve Cover			492097 Crankshaft			Used on Type Nos.
0	93394	Screw—Breather and			Used On Type Nos.			0051, 0052, 0155.
		P.T.O. Gear Sump			0155, 0178, 3113,	23A	395653	Flywheel—Magneto
		Cover (Ref. No. 86)			3147.	24	222698	Key-Flywheel
		Mounting Sem	18	395384	Sump—Engine	25	396455	Piston Assy.—Standard
1	231292	Tube—Breather	18A	395390	Sump—Engine		396456	Piston Assy.—.010" O.S
2	* 270833	GasketOil Sump			Used on Model 114982		396457	Piston Assy.—.020" O.S
		.015" thick (Standard)	}		to 114988 Series.	-	396458	Piston Assy.—.030" O.S
	* 270895	Gasket-Oil Sump-	19	293709	Bushing—Engine Sump			,
		.005" thick		Note:	Requires special tools	MO	DEL 11490	00 SERIES PISTON
	* 270896	Gasket—Oil Sump—			for installation.		G SETS:	
		.009" thick	20	391483	Seal—Oil		Note:	For Chrome Piston
3	93111	ScrewCylinder Hd.	21	280485	Gage—Oil Filler Plug			Ring Set—standard
		(1-15/16" long)			(Used after Code Date			size—order Part No.
	Note:	93772 Stud—Cyl. Hd.	1		85051000.)			392330.
		22963 Washer	1	Note:	280381 Gage—Oil Filler	26	396459	Ring Set—Std. Piston
		Used on Type Nos.		11010.	Plug	20	396460	_
		3140, 3157.			(Used before Code Date		330400	Ring Set—.010" O.S. Piston
5	91084	Plug—Oil Drain			•		000404	
5 A	93418	-		00000	85051100.)		396461	Ring Set—.020" O.S.
JM	93410	PlugOil Drain (Socket Head)	22	93032	Screw—Mtg. Sem		000400	Piston
		,	22A	93415	Screw—Sem		396462	Ring Set—.030" O.S.
		To Replace Crankshaft	:		(One used in Auxiliary			Piston
		Gear Pin, Order			Drive Gear Sump) on	27	26026	Lock—Piston Pin
		Part No. 230978.			Model 114982 to	28	391649	Pin Assembly—Piston—
6	492093	Crankshaft			114988 Series.			Standard
	Note:	394881 Crankshaft	-	Note:	Use 93032 Screw in		394861	Pin Assembly—Piston—
		Used on Type Nos.			the other (5) Sump			.005" O.S.
		0018, 0172, 0175.			Mounting Holes	29	391640	Rod Assembly—
		397231 Crankshaft	23	394848	Flywheel—Magneto			Connecting
		Used on Type Nos.		Note:	393831 Flywheel—		Note:	For Connecting Rod
		0016, 0052, 0140,			Magneto			with .020" undersize
		0150, 0156, 0187 <i>.</i>			Used on Type Nos.			Crankpin Bearing—
		397235 Crankshaft			0025, 0027, 0029,			Order No. 393710.
		Used On Type Nos.			0054, 0132, 0133,	31	222282	Washer—Flat .
		0168, 0169.			0136, 0139, 0147,			(One for Each Screw)
		492087 Crankshaft			0148, 0171, 0178,	32	94405	Screw—Connecting Roo
		Used On Type Nos.			0180, 0184, 0185,	33	261912	Valve—Exhaust .
		0027, 0135, 0136,			3149.		Note:	212004 Valve—Exhaust
		0142, 3016, 3112,			394032 Flywheel	1		Used on Type Nos.
		3130, 3133, 3140.	1		Magneto			3145, 3146, 3148.
		, , , , , , , , , , , , , , , , , , , ,	1		Used on Type Nos.	34	261233	Valve—Intake
					0015, 0016, 0018,	35	260552	Spring—Intake Valve
					0117, 0137, 0138,	36	26826	Spring—Intake Valve Spring—Exhaust Valve
							e 1101/0	

			***						O LO I I TOOO
	REF.	PART		REF.	PART		REF.	PART	
7\	NO.	NO.	DESCRIPTION	NO.	NO.	DESCRIPTION	NO.	NO.	DESCRIPTION
(Note:	26478 Spring—Exhaust	66	399671	Clutch Assembly—	125	397180	Carburetor Assembly
} .			Valve			Rewind Starter			(Used After Code Date
\$.			Used on Type Nos.	67	394897	Housing—Starter Clutch			83111404.)
			3145, 3146, 3148.	68	63770	Ball—Clutch		Note:	396336 Carburetor Assy.
	37	223150	Guard—Flywheel	69	66874	Washer—Thrust			Used on Type Nos.
	38	93777	Screw—Sem		Note:	68938 Washer—Thrust			3142, 3143.
	40	93312	Retainer—Intake Valve			Used on Auxiliary Drive			396586 Carburetor Assy.
			Spring			P.T.O. Camshaft and is			(Used Before Code Date
			Used with valves with			located next to the			83111504.)
	41	292259	groove in stem. Rotocap—Exhaust Valve	70	000700	Worm Gear.	131	394035	Shaft and Lever—
	42	230127	Retainer—Exhaust Valve	71	298799 394506	Ratchet—Rewind Starter	1		Throttle
		200127	Rotocap	''	394300	Washer—Clutch Retainer	141	68908	Shaft—Choke
5a		Note:	93312 Retainer—	j			151	93524	Screw—Rd. Hd.—
(, ;		110101	Exhaust Valve Spring		Note:	(Rubber Coated) 221653 Washer—Clutch	150	000740	5-40 x 1/2
			Used on Type Nos.		Note.	Retainer (Non-Coated)	152 163	260746 271139	Spring—Throttle Adj.
			3145, 3146, 3148.	73	221661	Screen—Starter Pulley	103	2/1139	Gasket—Air Cleaner
	44	230126	Pin—Exhaust Valve	74	93490	Screw—Sem	166	231332	Mounting Stud—Air Cleaner
			Rotocap Retainer	76	68238	Washer—Ratchet	100	20 1002	(Used After Code Date
	45	261250	Tappet—Valve			Sealing			83111404.)
	46	395856	Gear—Cam	81	223256	Lock—Muffler Screw		Note:	231311 Stud—Air
	46A	396052	Cam Gear, Worm and	83	230831	Shaft—Drive		110101	Cleaner
	•		Oil Slinger Assembly		Note:	230870 Shaft—Drive			(Used Before Code Date
			(Clockwise Rotation)			Used on Type Nos.			83111504.)
		Note:	396064 Cam Gear, Worm			3145, 3146.	171	93203	Nut—Hex
r			and Oil Slinger Assy.			230921 Shaft—Drive	172	271077	Gasket—Air Cleaner
7			(Counterclockwise)			Used on Type No.	172A	271273	Gasket—Air Cleaner
			Used on Type Nos.			0176.	180	396781	Tank Assembly—Fuel
			0051, 0133, 0138,	İ		230948 Shaft—Drive	181	391494	Cap—Fuel Tank
			0148, 0154, 0169,			Used on Type Nos.			(Chrome)
,			0176, 0181, 0186,			0133, 0148, 0154,	188	94102	Screw—Fuel Tank and
			3051, 3123, 3126,			0186, 3051, 3138,			Starter Mounting
	50	* 070044	3138, 3151, 3155.			3155.	190	93440	Screw-Fuel Tank Mtg.
	52 53	* 270844 391982	Gasket—Intake Elbow	83A	231278	Gear—Drive	201	261918	Link—Governor
	93	391902	Screw—Tank to Carburetor		Note:	231279 Gear—Drive	202	261897	Link—Throttle
	54	93485	Screw—Intake Elbow			Used on Type Nos.	203	280272	Bell Crank
	54	30403	Mounting Elbow			0051, 0133, 0138,	205	231520	Screw—Shoulder
r' L	56	280439	Pulley—Starter]		0148, 0154, 0169,			(Used After Code Date
7.2	57	490179	Spring—Rewind Starter			0176, 0181, 0186, 3051, 3123, 3126,		NI	86112300.)
	58	280406	Rope—Rewind Starter—	ļ		3138, 3151, 3155.		Note:	93838 Screw—
			81" long	86	221780	Cover—Sump			Shoulder
		Note:	If longer rope is needed,	87	391484	Seal—Oil			(Used Before Code Date
			Order No. 395883 and	88	270328	Gasket—Sump Cover	209	261936	86112400.) Spring—Governor
			cut to required length.	95	93499	Screw—Throttle Valve	200	Note:	261926 Spring—
			Order 66734 for 48-5/8"			Mounting Sem		Moto.	Governor Governor
			long rope.	96	211237	Valve—Throttle			Used on Type Nos.
	59	396892	Insert—Starter Grip	108	280429	Valve—Choke			0134, 0168, 0169,
	60	393152	Grip—Starter Rope		Note:	280370 Valve—Choke			0170, 3135.
	65	93587	Screw—Vertical Pull			Used on Type Nos.			,
			Starter Mounting			3142, 3143.		٠	
,	65A	94124	Screw—Guard Retaining	116	280203	O-Ring			
e de la constante de la consta	65B	93572	Screw—Guard Retaining						
*	Includ	ed in Gask	et Set-Part No. 391662						

REF.	PART		REF.	PART		REF.	PART		
NO.	NO.	DESCRIPTION	NO.	NO.	DESCRIPTION	NO.	NO.	DESCRIPTION	
		261927 Spring—		Note:	If longer wire is needed,	331	223047	Washer—Flywheel	
		Governor			specify length in inches;	332	92284	Nut-Flywheel	
		Used on Type Nos.			if shorter wire is	333	397316	Armature—Magneto	
		0054, 0132, 0135,			needed, order No.	333A	395489	Armature—Magneto	
		0139, 0141, 0142,			26099 and cut to	334	93381	Screw—Armature	
		0143, 0147, 0149,			required length.			Mounting Sem	
		0151, 0152, 0154,	270	63426	Locknut—Control Wire	337	298809	Plug—Spark (with	
		0155, 0171, 0176,	1		Casing ·			Gasket) 1-1/2" high-	
		0178, 0179, 0182,	271	290568	Lever Assembly—			(37-42 mm.)	
		0186, 3132, 3151,			Control		Note:	293918 Plug-Spark	
		3156.	284	94073	Screw—Clamp			(with Gasket)	
		261935 Spring—			Mounting			1-1/2" high (Resistor	•
		Governor	284A	93892	Screw—Hex. Hd.			Type)	
		Used on Type Nos.	300	394644	Muffler—Exhaust	346	93705	Screw—Hex Hd.	
		0051, 0052, 0177,	300A	394569	Muffler—Exhaust	351	93735	Screw—Terminal	
		3140, 3145, 3146,			The Following	352	66068	Washer—Insulating	
		3147, 3148, 3153,	İ		Blower Housing	353	92791	Washer—Lock—	
		3157.		•	is Used on			Shakeproof (3)	
		261938 Spring—			Band Brake Engines	354	90576	Nut-Hex8-32 (2)	
		Governor	304	223204	Housing—Blower	355	66554	Collar—Insulating	:
		Used on Type Nos.			The Following	356	398808	Wire—Ground	
		0133, 0136, 0148,			Blower Housings		Note:	396585 Wire—Ground	
		0150, 0157, 3130,			Are Used on			(Dual Wire, cut to suit)	
		3133, 3136, 3139,	l		Non-Band Brake			Used on Type Nos.	
		3141, 3142, 3143,			Engines			0015, 0016, 0018,	
		3144, 3150.		396412	Housing—Blower			0025, 0027, 0029.	
219	394044	Oil Slinger Assembly		Note:	223287 Housing—	358	391662	Gasket Set	
227	491482	Lever Assembly			Blower	363	19069	Puller—Flywheel	
		Governor			Used on Type Nos.			(Optional Accessory)	
		(Used After Code Date			0015, 0016, 0017,	377	93065	Key-Woodruff No. 6	
		88011000.)			0018, 0051, 0052,	382	93545	Screw—Choke Link	
227A	396504	Lever Assembly			0117, 0137, 0138,			Cover	
		Governor			0140, 0141, 0143,	383	89838	Wrench—Spark Plug	
		(Used Before Code Date			0144, 0145, 0146,	390	261249	Spring—Diaphragm	
		88011100.)			0149, 0150, 0151,	392	260455	Spring—Fuel Pump	
228	93758	Screw—Hex Head			0152, 0155, 0168,			Diaphragm	
228A	93490	Screw—Hex Head			0169, 0172, 0175,	394	391643	Diaphragm—Carburetor	
230	220680	Washer			0176, 0177, 0179,	396	270571	Gasket—Choke Link	1
236	262461	Link—Brake			0181, 0183, 0187.			Cover	4
		Lock—Out	305	94153	Screw—Sem	397	211678	Cover—Choke Link	
258	94018	Screw—Hex Head	306	223263	Shield—Cylinder	409	391590	Control-Dial	
265	22372	Clamp—Casing	307	93490	Screw—Sem	410	260993	Link—Control	
267	93469	Screw—Clamp Mtg.	307A	93758	Screw—Hex Head	414	223932	Washer	
268	66986	Casing—Control	309	395852	Motor—Starter (6 Volt)			(Used After Code Date	
		Wire—48" long	}	Note:	397863 Motor—Starter			86112300.)	
	Note:	If longer casing is			(12 Volt)		Note:	220982 Washer -	
		needed, specify	1		Used On Type No.			(Used Before Code Date	
	•	length in inches; if			0185.			86112400.)	
		a shorter casing is	310	94051	Bolt—Starter Motor	423	94026	Screw—Sem	
		needed, order No.	311	395728	Brush Kit—Starter Motor	432	221377	Cap—Spring	8
		66986 and cut to	319	395488	Armature Assembly	445	396424	Cartridge—Air Cleaner	Succession
		required length.	1		(Less Trigger Coil)	446	222844	Base—Air Cleaner	AMERICA:
269	26099	Wire Control, 54" long		223006	(Less Higger Coll)	770	222044	Dase—All Cleaner	Š.

	REF.	PART		REF.	PART		REF.	PART	
	NO.	NO.	DESCRIPTION	NO.	NO.	DESCRIPTION	NO.	NO.	DESCRIPTION
٠, ٠		····				<u>.</u>			
	467	212706	Knob—Air Cleaner	616	491405	Crank—Governor	681	395508	Needle Valve Kit
	467A	299858	Knob—Dial Control			(Used After Code Date	720	93474	Pin—Gear to Shaft
-	474	397880	Stator Assy.—Alternator			88011000.)	721	221779	Stop—Drive Shaft
	482	93621	Screw—Sem	616A	394075	Crank—Governor	725	223725	Shield—Heat
	482A	94016	Screw—Hex. Hd.			(Used Before Code Date	727	280336	Cover Base—Electric
	508	93158	Screw—Sem			88011100.)			Starter
	510	395727	Drive Kit—Starter	617	270344	Seal—Fuel Intake Tube	729	280470	ClipWire
	513	† 394815	Clutch Assembly—	620	394642	Plate—Carburetor	741	261533	Gear—Timing
	-		Electric Starter			Control	764	395874	Starter Assembly—
	523	396372	Cap with Dipstick-	Ī	Note:	394882 Plate-			Vertical Puli
			Oil Filler	ŀ		Carburetor Control			(81" Rope)
	524	271485	SealFiller Tube	ľ		Used on Type Nos.		Note:	396082 Starter
	525	280578	Tube—Oil Filler			0015, 0016, 0018,		.,,	Assembly—Vertical
			(Used After Code Date			0025, 0027, 0029,			Pull (48-5/8" Rope)
,			85051000.)			0051, 0052, 0132,	765	395914	
		Note:	280382 Tube—Oil Filler	1		0135, 0138, 0143,	/05	353514	Housing—Vertical
		NOTE.		1			700	000000	Pull Starter
			(Used Before Code Date			0145, 0146, 0147,	766	280022	Pulley—Rope (Small)
			85051100.)			0150, 0152, 0153,	767	231048	Pin—Small Rope
	529	280368	Grommet—Breather			0155, 0171, 0178,			Pulley
	534	93865	Screw—Air Cleaner			0180, 0181, 0183,	768	395870	Pulley and Gear
	534A	93374	Screw-Air Cleaner			0184, 0185, 3147.			Assembly—Starter
	535	271466	Element—Air Cleaner	621	396847	Switch—Stop	1		(81" Rope)
	535A	270848	Element—Air Cleaner			(Used After Code Date	769	280406	Rope—Vertical Pull
	536	394738	Cleaner—Assembly—Air	1		84030100.)			Starter (81")
	536A	391641	Cleaner Assembly—Air		Note:	297472 Switch—Stop		Note:	If longer rope is
	544	396058	Armature—Starter			(Used Before Code Date			needed, Order No.
		Note:	398636 Armature—			84030200.)			280399 and cut to
			Starter	621A	396847	Switch Assembly—Stop			required length.
			Used On Type No.	1		(Used After Code Date			66734 Rope—Vertical
			0185.			85032700.)			Pull Starter
	548	396067	Washer Set—Starter		Note:	297472 Switch—Stop	4		(48-5/8")
**.	552	230732	Bushing—Governor			(Used Before Code Date	771	299961	Clip—Vertical Pull
			Shaft			85032800.)	774	280121	Insert—Starter Handle
	562	92613	Bolt,Carriage	625	391377	Tube—Fuel Intake	775	280036	Grip—Starter Rope
			(Governor Lever)	634	270167	Washer—Throttle	776	222049	Guide—Rope
	592	93991	Nut—Hex.—10-24	507	2,010,	Shaft (Felt)	777	390066	
	592A	231082	Nut,Hex	635	66538		1'''	350000	Spring—Vertical Pull
	608	~0 100£	Starter Assy.—Rewind	642	223306	Elbow—Spark Plug Cover—Air Cleaner	770	000004	Starter
_	550		See Chart on	1 '			778	280021	Cover—Vertical Pull
~				643	280374	Cup—Air Cleaner	700	+ 000000	Starter Pulley
		Note:	Illustrated Pages	643A	280342	Support—Air Cleaner	782	† 280038	Gear—Electric Starter
		MOf6:	398806 Starter Assy.—		000057	Element			Spur
			Rewind (6 o'clock)	655	222057	Anchor—Spring	783	† 261606	Gear—Electric Starter
		-	Used on Type No.	670	94038	Spacer—Fuel Tank			Pinion
			3145.			Used on Engines	784	† 223123	Cover—Electric Starter
			491929 Starter Assy.—			with Band Brake			Clutch Gear
	-		Rewind (3 0'clock)		Note:	94047 Spacer—Fuel	785	† 271457	Gasket—Electric Starter
			Used On Type No.			Tank			Clutch Gear Cover
			0185.			Used on Engines	789	396392	Wiring Harness Assy.—
	611	297219	Pipe—Fuel (long)			without Band Brake			Mower (4-1/2" long)
	612	296811	Pipe—Fuel (short)	676	396548	Deflector—Muffler	789A	397916	Wiring—Harness
	613	93935	Screw—Muffler Mtg.	676A	393760	Deflector-Muffler			Used On Type No.
	614	93306	Pin,Cotter	676B	393756	Deflector—Muffler			0185.
~	615	93307	Retainer—E-Ring	676C	397931	Deflector—Muffler			
	+ Inclu	dod in Ct- 1	tor Drive Kit Dout 1						
	3957		ter Drive Kit—Part No.						

NO.	PART NO.	DESCRIPTION	REF.	PART NO.	DESCRIPTION	REF. NO.	PART NO.	DESCRIPTION
791	395569	Charger—Battery	930	223161	Bracket Support—	110.	IVO.	DESCRIPTION
131	093309	(120 Volt)	930	223101	Battery			
	Note:	395585 Charger—	931	395559	Battery (6 Volt)			
	mote.	Battery (240 Volt)	933	223448	Pivot—Band Brake			
		493357 Adapter—	933A	223278	Spacer			
		Charger	934	94037	Screw—Band Brake			
		(For Use With	304	34001	Pivot			
		493359 Battery)	935	223128	Terminal—Switch			
801	395851	Motor Output End	936	280338	Actuator—Switch			
		Cover and Mounting	937	† 280366	Spline—Starter			
		Bracket	938	† 93941	Ring—Retainer			
802	396061	Cap Assembly—End	939	395665	Shaft Assembly—Choke			
803	396059	Housing—Starter	940	222403	Guard—Flywheel			
832	399637	Guard Group—Muffler	941	280395	Cover—Linkage			
832A	396313	Guard—Muffler	942	493248	Control Plate—			
B42	270920	Seal—Filler Cap	942A	224331	Bracket			
847	399030	Filler Group—Oil			Plate—Band Brake			
•		(Used After Code Date	943	280322	Cover Top—Electric			
		85051000.)			Starter			
	Note:	395869 Filler Group—Oil	949	396579	Guard—Rewind Starter			
		(Used Before Code Date	949A	398833	Guard—Rewind Starter			
		85051100.)	963	223502	Strap	·		
B51	221798	Terminal—Ignition Cable	964	94107	Bolt—U			
852	396397	Cleaner Group—Air	965	94108	Nut			
853	394850	Bracket—Air Cleaner	988	223600	Bracket—Muffler	1 .		
869	211172	Seat-Intake Valve	994	398067	Arrester—Spark			
		(Standard)	1012	280414	Retainer—Link			
		(Used After Code Date	1016	490817	Spacer			
		88073100.)	1019	491099	Decal Kit			
	Note:	210879 Seat—Intake						
		Valve						
		(Used Before Code Date			•			
		88080100.)				1		
370	211291	Seat—Exhaust Valve						
		(Standard)						
	Note:	For Options, See	-			1		
		Repair Manual						
371	262001	Guide—Exhaust Valve						
	Note:	63709 Guide-Intake						
		Valve						
		See Repair Instruction						
		Manual.						
395	394767	Switch Group						
397	394970	Trigger Coil Assy.						
901	490818	Bracket—Bell Crank						
902	280271	Grommet—Screen						
22	261647	Spring—Brake						
923	394867	Brake Assembly—Band	1					
24	261881	Link—Starter Switch			•	1		
25	280363	Cover-Linkage						
	223162	Bracket—Battery						
928		Screw—Sem	1			1		